


Gray Metal Products - Product Data Sheet (PDS)

Product No. 306
Tapered Flue Tee - Easy Flow Style

Body: 26 Gauge

All measurements are in inches



Tolerance = plus or minus .125" (1/8")

Gray Metal Products - Product Data Sheet (PDS)

Product No. 306
Tapered Flue Tee - Easy Flow Style

Body: 26 Gauge

All measurements are in inches

PART	DA	DB	DC	TH	H	DI	CRL
3x3x3-306	3"	3"	3"	11"	7 5/8"	2 5/8"	1 1/2"
4x3x3-306	4"	3"	3"	11"	7 1/8"	2 3/8"	1 1/2"
5x3x3-306	5"	3"	3"	8 1/2"	5 7/8"	1 1/2"	1 1/2"
4x4x3-306	4"	4"	3"	12 1/8"	7"	2 1/2"	1 1/2"
4x4x4-306	4"	4"	4"	11 7/8"	6 3/4"	1 7/8"	1 1/2"
5x4x3-306	5"	4"	3"	11"	6 5/8"	3 5/8"	1 1/2"
5x4x4-306	5"	4"	4"	12"	7"	2 1/8"	1 1/2"
6x4x3-306	6"	4"	3"	9 5/8"	6"	2 3/4"	1 1/2"
6x4x4-306	6"	4"	4"	12 1/8"	6 3/8"	3"	1 1/2"
5x5x3-306	5"	5"	3"	10 3/4"	7 1/2"	2"	1 1/2"
5x5x4-306	5"	5"	4"	12 1/4"	8"	2 3/8"	1 1/2"
5x5x5-306	5"	5"	5"	13 3/4"	9 1/4"	2 1/4"	1 1/2"
6x5x3-306	6"	5"	3"	11 1/4"	6 1/4"	1 3/4"	1 1/2"
6x5x4-306	6"	5"	4"	10 3/4"	7"	2"	1 1/2"
6x5x5-306	6"	5"	5"	11 1/2"	5 5/8"	2 1/4"	1 1/2"
7x5x3-306	7"	5"	3"	8 3/4"	4 1/4"	2"	1 1/2"
7x5x4-306	7"	5"	4"	8"	4 3/8"	1 1/2"	1 1/2"
7x5x6-306	7"	5"	6"	13 1/2"	7 5/8"	2 3/4"	1 1/2"
6x6x3-306	6"	6"	3"	10"	6"	2"	1 1/2"
6x6x4-306	6"	6"	4"	11 3/4"	6 1/4"	2 5/8"	1 1/2"
6x6x5-306	6"	6"	5"	12"	8 1/4"	1 1/2"	1 1/2"
6x6x6-306	6"	6"	6"	14 3/4"	8"	3 5/8"	1 1/2"
7x6x4-306	7"	6"	4"	8 5/8"	4 3/4"	1 1/2"	1 1/2"
7x6x5-306	7"	6"	5"	11 3/8"	5 1/2"	2 1/4"	1 1/2"
8x6x6-306	8"	6"	6"	12 1/8"	5 1/4"	1 3/4"	1 1/2"
7x7x3-306	7"	7"	3"	10 1/2"	6 1/2"	2"	1 1/2"
7x7x4-306	7"	7"	4"	11 3/8"	7 1/2"	1 1/2"	1 1/2"
7x7x5-306	7"	7"	5"	12"	6 3/4"	1 3/4"	1 1/2"
7x7x6-306	7"	7"	6"	13 1/8"	9 1/4"	1 3/8"	1 1/2"
7x7x7-306	7"	7"	7"	10 1/4"	10 3/8"	2"	1 1/2"
8x8x6-306	8"	8"	6"	14 1/2"	9 1/8"	1 7/8"	1 1/2"
8x8x8-306	8"	8"	8"	17"	11"	2"	1 1/2"
10x10x6-306	10"	10"	6"	15 1/4"	9 7/8"	2 3/4"	1 1/2"
10x10x10-306	10"	10"	10"	20"	12"	2 1/4"	1 1/2"
12x10x8-306	12"	10"	8"	20 1/4"	13"	2"	1 1/2"
12x12x6-306	12"	12"	6"	17 1/2"	12 1/2"	1 1/2"	1 1/2"
12x12x12-306	12"	12"	12"	21 1/4"	9"	2 1/2"	1 1/2"

Meets SMACNA Specifications

Tolerance = plus or minus .125" (1/8")